INDEX TO VOLUME 73C

January to December 1969

A

Page

Absorbed dose 17
Ac 47
Accelerometer 75

B

Ballard, L. D., Epstein, W. S., Smith, E. R., Edelman, S., Optical FM system for measuring mechanical shock 75
Bowman, H. A., Gallagher, W. H., Improved high-precision calibration procedure for reference standard hydrometers ... 57

C

Calibration 57, 75
Calorimeter 17
Cassidy, E. C., Cones, H. N., A Kerr electro-optical technique for observation and analysis of high-intensity electric fields .. 5
Cones, H. N., Cassidy, E. C., A Kerr electro-optical technique for observation and analysis of high-intensity electric fields .. 5

D

D-c 47
Density 57
Design features of a precision ac-dc converter 47
Dielectric liquids 5
Domen, S. R., A heat loss compensated calorimeter and related theorems 17
Doppler 75

E

Edelman, S., Ballard, L. D., Epstein, W. S., Smith, E. R., Optical FM system for measuring mechanical shock 75
Electro-optical measurements 5
Electrostatic field measurements 5
Epstein, W. S., Ballard, L. D., Smith, E. R., Edelman. S., Optical FM system for measuring mechanical shock 75

F

Flach, D. R., Marzetta, L. A., Design features of a precision ac-dc converter 47

G

Gallagher, W. H., Bowman, H. A., Improved high-precision calibration procedure for reference standard hydrometers ... 57

H

Heat flow theorems 17
Heat loss compensated calorimeter and related theorems 17
Heat loss compensation 17
High voltage measurements 5
Hydrometer 57
Hydrometer calibration 57

I

Page

Improved high-precision calibration procedure for reference standard hydrometers 57
Interferometer 1, 75
Interferometer for measuring gradients in both refractive index and thickness of large or small optics 1

J

Joiner, B. L., Student-*t* deviate corresponding to a given normal deviate 15

K

Kerr cell 5
Kerr electro-optical technique for observation and analysis of high-intensity electric fields 5

L

Laboratory measurements of air cavity temperature in a passenger car tire 21
Laser 75
Laser applications 5
Linzer, M., The nuclear quadrupole resonance magnetometer: a new method for the precision measurement of the magnitude and direction of magnetic fields 67

M

Mandel, J., Simpson, B. G., Laboratory measurements of air cavity temperature in a passenger car tire 21
Marzetta, L. A., Flach, D. R., Design features of a precision ac-dc converter 47
Magnetometer 67
Measuring shock 75

N

Nuclear quadrupole resonance 67
Nuclear quadrupole resonance magnetometer: a new method for the precision measurement of the magnitude and direction of magnetic fields 67

O

Operational 47
Optical FM system for measuring mechanical shock 75
Optical homogeneity 1

P

Potential measurements 5
Precision 47
Pulse measurements 5

R

Page

Rectifier 47
Reference hydrometer 57
Refractive index 1

S

Saunders, J. B., An interferometer for measuring gradients in both refractive index and thickness of large or small optics 1
Simson, B. G., Mandel, J., Laboratory measurements of air cavity temperature in a passenger car tire 21
Single-sideband 75
Smith, E. R., Ballard, L. D., Epstein, W. S., Edelman, S., Optical FM system for measuring mechanical shock 75
Specific gravity 57
Standard deviation 15
Standard hydrometer 57
Statistics 15
Student-*t* 15
Student-*t* deviate corresponding to a given normal deviate 15

T

Table of Student-*t* 15
Temperature sensitivity 21
Tire 21
Transfer 47

U

Uncertainties 15

U.S. GOVERNMENT PRINTING OFFICE : 1969 OL—364—586